
mysqltokenparser Documentation

Release 2.2.0

gra55

Nov 26, 2019

Contents:

1	mysqltokenparser	1
1.1	Quickstart	1
1.2	Features	2
1.3	Credits	2
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	Contributing	7
4.1	Types of Contributions	7
4.2	Get Started!	8
4.3	Pull Request Guidelines	9
4.4	Tips	9
4.5	Deploying	9
5	Credits	11
5.1	Development Lead	11
5.2	Contributors	11
6	History	13
6.1	2.0.0 (2019-11-14)	13
6.2	0.1.0 (2019-07-08)	13
7	Indices and tables	15

CHAPTER 1

mysqltokenparser

A awesome tool that easy to get MySQL's tokens.

- Free software: MIT license
- Documentation: <https://mysqltokenparser.readthedocs.io>.

1.1 Quickstart

0x01 Ininstall

```
pip install mysqltokenparser
```

0x02 Tutorial

```
import mysqltokenparser as mtp

sql = u"""
    ALTER TABLE t_a_gun2_6_dw_pfm_emp_cm ADD INDEX idx_eob_date(empid_org_bus (200),
↪ pfm_date);
"""

tokens = mtp.mysql_token_parser(sql)
print tokens
#{
#   "type": "ddl",
#   "data": {
#       "type": "altertable",
#       "data": {
#           "tablename": "t_a_gun2_6_dw_pfm_emp_cm",
#           "alter_data": [{
#               "type": "addindex",
#               "data": {
#                   "indexdefinition": {
```

(continues on next page)

(continued from previous page)

```
#           "columnnames": ["empid_org_bus", "pfm_date"]
#           },
#           "indexname": "idx_eob_date"
#       }
#   }
# }
# }
```

1.2 Features

- Current version only support DDL(CREATE table, ALTER table), DML(simple SELECT, INSERT, DELETE, UPDATE).
- TODOSUPPORT MORE SQL STATEMENTS

1.3 Credits

This package was created with [Cookiecutter](#) and the [audreyr/cookiecutter-pypackage](#) project template.

2.1 Stable release

To install mysqltokenparser, run this command in your terminal:

```
$ pip install mysqltokenparser
```

This is the preferred method to install mysqltokenparser, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for mysqltokenparser can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/LoveXiaoLiu/mysqltokenparser
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/LoveXiaoLiu/mysqltokenparser/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use mysqltokenparser in a project:

```
import mysqltokenparser
```


Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at <https://github.com/LoveXiaoLiu/mysqltokenparser/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

4.1.4 Write Documentation

mysqltokenparser could always use more documentation, whether as part of the official mysqltokenparser docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/LoveXiaoLiu/mysqltokenparser/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *mysqltokenparser* for local development.

1. Fork the *mysqltokenparser* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/mysqltokenparser.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv mysqltokenparser
$ cd mysqltokenparser/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 mysqltokenparser tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5 and 3.6, and for PyPy. Check https://travis-ci.org/LoveXiaoLiu/mysqltokenparser/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ py.test tests.test_mysqltokenparser
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

5.1 Development Lead

- gra55 <shuai.grass@gmail.com>

5.2 Contributors

None yet. Why not be the first?

6.1 2.0.0 (2019-11-14)

- Refactor API.

6.2 0.1.0 (2019-07-08)

- First release on PyPI.

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`